

Standing desks | ConSet EU



ConSet

Electric height adjustable desks

501-19

501-19

Stand-alone or grouping tables

- 501-19 Center is sturdy and compact with a symmetrical design that allows access from all sides. Add the optional 75 mm heavy duty locking casters and rechargeable battery and you have complete mobility without any wires.
- 501-19 Basic is excellent for grouping tables together. With 80 kg as maximum load it can be used with a variety of tabletops. Add castors and a rechargeable battery for additional flexibility.
- 501-19 Design lends unique style to this series with an attractive crescent shaped base, and well suited to be arranged in groups.



Electric height adjustable desks

501-19



Electric height adjustable desks

501-23



501-23

Strong and stylish

501-23 is strong and stylish with integrated cable management. It's expandable length makes it well suited for many top sizes. The symmetrical design makes the frame excellent for conference tables and large work surfaces. Optional 3-column versions accommodate extra long tables and L-shapes configurations. Maximum load is 175 kg.

Electric height adjustable desks **501-23**



Electric height adjustable desks

501-25

501-25

Stable and functional

501-25 is a stable and functional table that meets the basic needs.

Max load on frame is 80 kg but with strong rigidity built into the construction, making it also ideal for L shape tops up to 120 cm deep.

The narrow width of 133 cm makes this table perfect for smaller to medium size work stations.



Electric height adjustable desks **501-25**



Electric height adjustable desks

501-33



Electric height adjustable desks

501-33



501-33

Versatile and stylish

An elegant and stylish desk designed with a single telescopic open frame. The square columns gives this desk a modern look, which makes it suitable for all kinds of office environments. The 501-33 is available in 3 different colors. Quick and easy to assemble – It's that easy!

Electric height adjustable desks

501-37



501-37

Striking open design

Striking open design defines 501-37. The three stage frame is tested and approved according to Ansi/Bifma x5.5-2014.

The frame is available in three different colors; silver, black and white. Choose from fixed widths or an expandable bracket for more flexibility.

Easily assembled in a few quick steps.

Electric height adjustable desks **501-37**



Electric height adjustable desks

501-43



501-43

Modern design and stylish

The 501-43 is a 2 or 3 column desk with a sophisticated look, an open double telescope frame structure and a clean cut. You can recognize the 501-43 by its square column and slender foot design. It is available in 3 different colors. Add the third column and you get a desk, which offers plenty of space for all kinds of job functions. The robust frame makes the 501-43 a strong and durable desk for any office environment.

Electric height adjustable desks

501-43



Electric height adjustable desks

501-47



Electric height adjustable desks

501-47



501-47

First in the last line

A stunning chrome option and plenty of lifting power, this series is perfect for fast standing meetings without chairs. Two or three legged options for many sizes of top. A minimalist, super efficient look for any executive office or meeting space. Chrome, black or white.

Electric height adjustable desks

501-49



Electric height adjustable desks

501-49



501-49

A minimalistic and elegant look

An elegant desk with 2 columns designed in a minimalistic look, which will complement any office environment. The round columns are designed with a double telescopic mechanism which allows more overlap between the tubes, resulting in improved travel and stability. The 501-49 is easy to assemble and offers an impressive timeless design.

Electric height adjustable desks

501-88



501-88

Functionality and modern design

The bench 501-88 is very suitable for large office environments and the design makes it easy to separate the desks from each other with a partition screen. Minimize cable clutter and mount a cable tray, which also makes cleaning a lot easier. 501-88 is a functional, robust and durable desk for all purposes.




Electric height adjustable desks

501-88






Electric height adjustable desks

Frames

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-19 7SW 501-19 7BW *	Silver Black	68-120	28	80	411 411
		501-19 7S060 501-19 7B060 *	Silver Black	68-120	28	80	519 519
		501-19 7S095 501-19 7B095 *	Silver Black	68-120	28	80	519 519
		501-19 7S117 501-19 7B117 *	Silver Black	68-120	28	80	519 519
		501-19 7S120 501-19 7B120 *	Silver Black	68-120	28	80	519 519
		501-23 7SW2 501-23 7SW3 501-23 7BW2 501-23 7BW3 *	Silver Silver Black Black	68-120	22	175	802 1162 802 1162

Electric height adjustable desks

Frames

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-23 7S200	Silver	68-120	22	175	913
		501-23 7B200 *	Black				913
		501-23 7S400K	Silver	68-120	22	175	1401
		501-23 7B400K *	Black				1401
		501-23 7S190-190A	Silver	68-120	22	175	1338
		501-23 7B190-190A *	Black				1338
		501-25 7S084	Silver	68-120	25	120	421
		501-25 7S133	Silver				436
		501-25 7S152	Silver				439
		501-25 7S172 *	Silver				443
		501-25 7S152-152A	Silver	68-120	25	100	655
		501-25 7S172-172A *	Silver				665
		501-33 7W092	White	68-118	25	80	380
		501-33 7W112	White				382
		501-33 7W129	White				396
		501-33 7W152	White				398
		501-33 7W172	White				402
		501-33 7S092	Silver				380
		501-33 7S112	Silver				382
		501-33 7S129	Silver				396
		501-33 7S152	Silver				398
		501-33 7S172	Silver				402
		501-33 7B092	Black				380
		501-33 7B112	Black				382
		501-33 7B129	Black				396
		501-33 7B152	Black				398
		501-33 7B172 *	Black				402

Frames



112cm - 152cm



68cm

501-33 7W112-152
501-33 7S112-152
501-33 7B112-152 *

White
Silver
Black

Frame height
min/max (cm)
incl. tabletop

Max. speed
(mm/sec.)

Maximum load
(kg)

Price
(€)



A diagram of a horizontal beam. The beam is represented by a thick horizontal line. At each end of the beam, there is a vertical rectangular support. Above the beam, the text "172cm" is written, indicating the length. To the right of the beam, the text "56cm" is written, indicating the height of the beam.

501-37 7W092
501-37 7W112
501-37 7W129
501-37 7W152
501-37 7W172
501-37 7S092
501-37 7S112
501-37 7S129
501-37 7S152
501-37 7S172
501-37 7B092
501-37 7B112
501-37 7B129
501-37 7B152
501-37 7B172 *

White
White
White
White
White
Silver
Silver
Silver
Silver
Silver
Black
Black
Black
Black
Black

57-12232100

400
402
416
418
422
400
402
416
418
422
400
402
416
418
422



112-152cm

56cm

501-37 7W112-152
501-37 7S112-152
501-37 7B112-152 *

White
Silver
Black

57-12232100

448
448
448

A 3D perspective view of a truss structure. It consists of three vertical members (legs) and three horizontal members. The horizontal members are arranged in a triangular pattern, with one member connecting the top of each vertical member. The vertical members are positioned at the corners of a triangle, and the horizontal members connect their tops. The structure is shown from a perspective that highlights its three-dimensional nature.

Diagram of a frame structure with dimensions: 172cm horizontal span, 174cm vertical height, 56cm left support width, and 48cm right support width.

501-37 7W112-091C
501-37 7W152-091C
501-37 7W152-114A
501-37 7W152-154A
501-37 7W172-114A
501-37 7W172-144A
501-37 7W172-174A
501-37 7S112-091C
501-37 7S152-091C
501-37 7S152-114A
501-37 7S152-154A
501-37 7S172-114A
501-37 7S172-144A
501-37 7S172-174A
501-37 7B112-091C
501-37 7B152-091C
501-37 7B152-114A
501-37 7B152-154A
501-37 7B172-114A
501-37 7B172-144A
501-37 7B172-174A *



White
White
White
White
White
White
White
Silver
Silver
Silver
Silver
Silver
Silver
Black
Black
Black
Black
Black
Black

57-12232100

665
665
643
691
643
645
660
665
665
643
691
643
645
660
665
665
643
691
643
645
660





Electric height adjustable desks

Frames






Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-43 7W092	White	65-125	32	100	421
		501-43 7W112	White				423
		501-43 7W129	White				437
		501-43 7W152	White				439
		501-43 7W172	White				443
		501-43 7S092	Silver				421
		501-43 7S112	Silver				423
		501-43 7S129	Silver				437
		501-43 7S152	Silver				439
		501-43 7S172	Silver				443
		501-43 7B092	Black				421
		501-43 7B112	Black				423
		501-43 7B129	Black				437
		501-43 7B152	Black				439
		501-43 7B172 *	Black				443
		501-43 7W112-152	White	65-125	32	100	469
		501-43 7S112-152	Silver				469
		501-43 7B112-152 *	Black				469
		501-43 7W152-111A	White	65-125	32	100	673
		501-43 7W152-151A	White				721
		501-43 7W172-111A	White				673
		501-43 7W172-171A	White				721
		501-43 7S152-111A	Silver				673
		501-43 7S152-151A	Silver				721
		501-43 7S172-111A	Silver				673
		501-43 7S172-171A	Silver				721
		501-43 7B152-111A	Black				673
		501-43 7B152-151A	Black				721
		501-43 7B172-111A	Black				673
		501-43 7B172-171A *	Black				721
		501-47 7W112	White	68-118		150	501
		501-47 7W129	White				515
		501-47 7W152	White				517
		501-47 7W172	White				521
		501-47 7W222	White				748
		501-47 7W302	White				780
		501-47 7W342	White				788
		501-47 7C112	Chrome				650
		501-47 7C129	Chrome				664
		501-47 7C152	Chrome				666
		501-47 7C172	Chrome				670
		501-47 7C222	Chrome				971
		501-47 7C302	Chrome				1003
		501-47 7C342	Chrome				1011
		501-47 7B112	Black				501
		501-47 7B129	Black				515
		501-47 7B152	Black				517
		501-47 7B172	Black				521
		501-47 7B222	Black				748
		501-47 7B302	Black				780
		501-47 7B342 *	Black				788

Electric height adjustable desks

Frames







Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-49 7W092	White	65-125	32	100	464
		501-49 7W112	White				466
		501-49 7W129	White				480
		501-49 7W152	White				482
		501-49 7W172	White				486
		501-49 7S092	Silver				464
		501-49 7S112	Silver				466
		501-49 7S129	Silver				480
		501-49 7S152	Silver				482
		501-49 7S172	Silver				486
		501-49 7B092	Black				464
		501-49 7B112	Black				466
		501-49 7B129	Black				480
		501-49 7B152	Black				482
		501-49 7B172 *	Black				486
		501-49 7W112-152	White	65-125	32	100	512
		501-49 7S112-152	Silver				512
		501-49 7B112-152 *	Black				512
		501-88 7W092	White	65-125	32	100	826
		501-88 7W112	White				830
		501-88 7W129	White				858
		501-88 7W152	White				862
		501-88 7W172	White				870
		501-88 7S092	Silver				826
		501-88 7S112	Silver				830
		501-88 7S129	Silver				858
		501-88 7S152	Silver				862
		501-88 7S172	Silver				870
		501-88 7B092	Black				826
		501-88 7B112	Black				830
		501-88 7B129	Black				858
		501-88 7B152	Black				862
		501-88 7B172 *	Black				870
		501-88 7W112-152	White	65-125	32	100	922
		501-88 7S112-152	Silver				922
		501-88 7B112-152 *	Black				922

Electric height adjustable desks

Item no.	Beech mel.	Walnut mel.	White mel.	Item no.	Beech mel.	Walnut mel.	White mel.
080-60S3				120-80S3			
	70	70	70		84	84	84
100-60S3				138H3			
	75	75	75		122	122	122
100-80S3				140-80S3			
	81	81	81		93	93	93
117H3				160-80S3			
	101	101	101		102	102	102
120-60S3				180-80S3			
	80	80	80		111	111	111



Electric height adjustable desks

Accessories

Product photo	Dimensional drawing		Item no.	Price (€)
		Control panel - programmable	139250	64
		CPU-holder, Metal, Black	400-4B	27
		CPU-holder, Metal, Silver	400-4S	27
		Castor set, 501-19	501-19 HXXX	25
		501-19 Tilt device - whole top tilt	501-19 V-HEL	85
		Screen 1200x750, grey	501-XX AG120	97
		Screen 1600x750, grey	501-XX AG160	138
		Screen 1800x750, grey	501-XX AG180	157
		Universal cable-tray, Black	501-XX CB096-166	28

Electric height adjustable desks

Accessories

Product photo	Dimensional drawing		Item no.	Price (€)
		Universal cable-tray, Silver	501-XX CS096-166	28
		Universal cable-tray, White	501-XX CW096-166	28
		Grommet, 300x140	501-XX GRO	22
		Wheel set, 501-37	501-XX HXX1	38
		Wheel set, 501-33	501-XX HXXX	37
		Battery pack	BAT-24-1,7	157

Electric height adjustable desks

General information

ONE MOTOR THAT DOES IT ALL

Prolonged sitting has become part of everyday life for many office employees. When you're sitting still in front of a computer for hours every day, the risk of injuries increases and it influences your level of energy. A height adjustable desk from ConSet gives you the ability to go from the sitting to the standing position whenever you wish at the push of a button. The technique in and around the motor is the heart of the desk. It ensures calm and gentle movements when you wish to move the table top either up or down and it ensures that the table top is always evenly adjusted.

With ConSet you get a one-motor-desk that does it all.

- Reliable
- High quality
- Great lifting capacity
- High construction strength
- Good prices

STRENGTH & STABILITY

Stability means everything when you're choosing an office desk. Every height adjustable desk from ConSet is made from quality materials and meet both the EU and Danish working environment authority's demands on a flexible and ergonomic workplace. This ensures you a stable and long lasting desk – and greater employee well-being. Unlike many tables that have two motors, a ConSet table withstands an uneven load. This means that you can place your office equipment anywhere on the table top. The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ENVIRONMENT

At ConSet we think it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- Our wood products are low emission standard E0, which is a guarantee that you can buy our tabletops and other wood products in good conscience.
- All electronic equipment meet RoHS framework for the reduction of hazardous substances in electronics, whereby the environmental impact is minimized.
- Through Elretur (Denmark), we ensure that electronic waste is managed environmentally under the WEEE directive.

CE MARKING & PRODUCT APPROVALS

All ConSet electric height adjustable desk frames are CE marked in collaboration with the Technological Institute in Denmark. CE marking is a requirement for height adjustable desk frames and it allows you to be sure that the producer has been through all aspects of security risks. Furthermore, our power supplies are GS-tested (German standard).

EN 527-1/2: Dimensions / Mechanical safety requirements, methods of Test for the Determination of Stability and Strength of the structure
DS/EN 12720-21-22: Furniture - Assessment of surface resistance to cold liquids, wet and dry heat.

CONSET - A DANISH COMPANY

ConSet was founded in 2000 in Denmark, and our basic philosophy was that ergonomics should not be expensive. We began with the idea to develop and manufacture high quality electric height adjustable desks and to make them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.



Frames

Black (RAL 9004)




Silver (RAL 9006)



White (RAL 9016)



Chrome



Tops


Beech melamine



Walnut melamine



White melamine



Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

[illegible]

Frames	Tops	080-60S3	100-60S3	100-80S3	117H3	120-60S3	120-80S3	138H3	140-80S3	160-80S3	180-80S3	160-80S3 + 080-60S3	180-80S3 + 100-60S3						
501-19 7X060		•	•																
501-19 7X095				•	•		•	•											
501-19 7X117			•	•	•	•		•											
501-19 7X120					•	•	•	•											
501-23 7X190-190A												•	•						
501-23 7X200									•	•	•								
501-25 7X084			•				•												
501-25 7X133									•										
501-25 7X152										•									
501-25 7X152-152A												•							
501-25 7X172											•								
501-25 7X172-172A													•						
501-33 7X092			•																
501-33 7X112							•												
501-33 7X129									•										
501-33 7X152										•									
501-33 7X172											•								
501-37 7X092		•																	
501-37 7X112						•													
501-37 7X152-154A												•							
501-37 7X172-174A													•						
501-43 7X092			•																
501-43 7X112							•												
501-43 7X129									•										
501-43 7X152										•									
501-43 7X152-151A												•							
501-43 7X172											•								
501-43 7X172-171A													•						
501-47 7X112							•												
501-47 7X129									•										
501-47 7X152										•									
501-47 7X172											•								
501-49 7X092			•																
501-49 7X112							•												
501-49 7X129									•										
501-49 7X152										•									
501-49 7X172											•								
501-88 7X112						•	•												
501-88 7X152										•									
501-88 7X172											•								



ConSet A/S
Industrivej 23
6900 Skjern
Denmark

Phone: +45 9680 0080
conset@conset.com
www.conset.eu

ConSet